

LEBEDEV, A.D.; KOROBKO, I.A.; TRUSOVA, N.D.

Development of the process of enolization of diacetone-2-keto-
1-gulonic acid with a reduced quantity of chloroform and dichlo-
rethane. Trudy VNIIV 6:54-55 '59. (MIRA 13:7)

1. Yoshkra-Olinskiy vitaminnyy savod.
(GULONIC ACID)

ULIT'KO, V.Ye. [Ulits'ko, V.IU.]; KOROBUKO, I.I. [Korobko, M.I.]; CHERTOV, V.M.

Repeated use of the silica gel column with subsequent regeneration for the chromatographic analysis of volatile fatty acids. Ukr. biokhim. zhur. 35 no.4:606-614 '63. (MIRA 17:11)

1. Ukrainian Agricultural Academy, Institute of Physical Chemistry of the Academy of Sciences of the Ukrainian S.S.R., Kiev.

BABAKOV, A.A.; FEDOROVA, V.I.; SOLOV'YEV, L.L.; LOLA, V.N.; DODOKA, L.I.;
CHERKASHINA, N.P.; SHAMIL', Yu.P.; SMOLYAKOV, V.F.; BABKOV, T.M.;
MOSHKEVICH, Ye.I.; PARADA, A.N.; REPESHKO-KRAVCHENKO, S.I.;
ALEKSEYENKO, M.F.; KOROBKO, M.I.; KOROBKO, I.M.; AVERIN, N.M.;
MATOV, A.A.; MIGUTSKIY, L.R.

Inventions. Met. i gornorud. prom. no.4:83 J1-Ag '64. (MIRA 18:7)

KOROBKO, I.M., inzh.; FEDOROVSKIY, N.V., inzh.; PLESKACH, V.I., inzh.;
ONIKMENKO, A.M., inzh.

Regulating and measuring vacuum in a sinter strip. Met. i
gornorud. prom. no.4:60-64 JI-Ag '63. (MIRA 16:11)

1. Institut avtomatiki Gosplana UkrSSR.

KOCHO, V.S., doktor tekhn. nauk; KOROEKO, I.M.; MALIKOV, G.P.

Device for continuous control of metal temperature in an electric
arc steel furnace. Art. 1 prib. no.4848-49 O-D '64
(MIRA 18:2)

SHCHERBATYKH, P.Ya., prof.; TSION, R.A., prof.; PROTASOV, A.I., dotsent;
GRIBANOVSKAYA, Ye.A., dotsent; KOROBUKO, I.R., veterinarnyy vrach

Use of specific globulins against paratyphoid fever in young pigs.
Veterinariia 41 no.5:50-52 My '64. (MIRA 18:3)

1. Leningradskiy veterinarnyy institut.

ZIL'BERMANTSE, Kh.Ya.; KOROBKO, L.G.

New methodology of the manufacture of chevrette leather.
Kosh.-obuv. prom. 7 no.12:30-33 D '65.

(HIMA 19:2)

KOROBKO, L.T. (Leningrad, pr. im. I.V.Stalina, d.18, kv.8)

Plastic resection of a giant cell tumor in a joint with preservation of joint function. Vest.khir. 77 no.9:114-117 8 '56. (MLRA 9:11)

1. Iz kafedry ortopedii i protezirovaniya (zav. - prof. M.I.Kuslik)
Gosudarstvennogo ordena Lenina instituta usovershenstvovaniya vrachev
im. S.M.Kirova i ortopedicheskogo otdeleniya (zav. - prof. Ya.S.
Yusevich) Leningradskogo nauchno-issledovatel'skogo instituta trav-
matologii i ortopedii.

(METACARPUS, neoplasm
giant cell tumor, surg.)

(GIANT CELL TUMORS, case reports
metacarpal, surg.)

KOROBKO, L.T., Cand Med Sci -- (diss) "Toe deformities (except hallux valgus)." Len, 1958. 15 pp (Len State Order of Lenin Inst for the Advanced Training of Physicians in S.M.Kirov), 300 copies (KL, 24-58, 123)

-101-

KOROBKO, L.T.

Etiology and pathogenesis of curvature of the toes (besides Hallux valgus). Trudy Len.gos.nauch.-issl.inst.travm.i ortop. no.7:183-191 '58. (MIRA 13:6)

1. Iz ortopedicheskogo otdeleniya Leningradskogo gosudarstvennogo nauchno-issledovatel'skogo instituta travmatologii i ortopedii.

(TOES--ABNORMITIES AND DEFORMITIES)

~~KORCHKO, I.F.~~

Deformities of the toes (except hallux valgus). Khirurgiya 34
no.2:82-90 F '58. (MIRA 11:4)

1. Iz kafedry ortopedii i protezirovaniya (zav. - zasluzhennyy
deyatel' nauki prof. M.I.Kuslik) Leningradskogo gosudarstvennogo
ordena Lenina instituta usovershenstvovaniya vrachey imeni S.M.
Kirova i ortopedicheskogo otdeleniya (zav. - prof. Ya.S.Yusevich)
Leningradskogo nauchno-issledovatel'skogo instituta travmatologii
i ortopedii (dir. - prof. V.S.Balakina)

(TOES, abnorm.
classif. (Rus))

KOROBKO, M., kand.tekhn.nauk

Brain and pulse of a Martin furnace. Znan. sila 36 no.10:15-18
0 '61. (MIRA 16:12)

KOROBKO, M. I.

Building Machinery

Automatic operation of electric winches in drag scrapers. Mekh.stroi., 9 No. 1, 1952.

Monthly List of Russian Accessions, Library of Congress, April 1952. UNCLASSIFIED.

KOROBKO, M.I.

"

"

Improving the process of reversing martin oven valves

Soviet Source: RABOTA I KONSTRUKTSIYA GAZOVYKH PECHEI" (Operation and Construction of Gas Ovens), Academy of Sciences, Ukrainian SSR, 1953, p. 99.

KOROBKO, M. I.

Cooling of glass sheet in a vertical drawing machine.
N. A. Zakharkov and M. I. Korobko. *Ssteklo i Keram.* 10:
No. 1, 1963, pp. 1-3. Study was made
with a vertical drawing machine without debiteurs. The
sheet was 1600 mm wide. Intensive radiation at the height
of 200-250 mm. caused cooling at the rate of 400-600°/min.;
above this, the rate was about 100°/min. At the point of
cutting, the temp. was 200-250°. Temp. distribution
along the width of the sheet in a drawing chamber could not
be detd. experimentally. Factors influencing uneven temp.
distribution along the width of the sheet in the chamber
were flow of gases of different temps. in the chamber and
uneven temp. distribution along the wall of the cooler.
Temp. distribution along the width of the sheet in the shift
was also uneven; at the 3rd-4th pair of rollers it was 100°
and at other sections, 70-80°. The middle of the sheet had
a higher temp. than the edges. Forced uniform cooling of
the entire shift is proposed. Non-inertia thermocouples
should be installed through the shift wall to record the temp.
of the air-gas mixt.

B. Z. Kamich

KOROBKO, M. I.

963. AUTOMATIC CONTROL OF THE THERMAL PROCESS IN GLASS FURNACES.
Korobko, M. I. (Trudy Inst. Ispol. Lazu Akad. Nauk Ukr. SSR (Trans. Inst. Utiliz. Ukr. Acad. Sci. Ukr. S.S.R.), 1954, (2), 33-61; abstr. in Ref. Zh. Khim. (Ref. J. Chem., Moscow), 1956, (10), 31335). A simple device for controlling the air-fuel ratio is described.

KOROBKO, M.I.

Automatic control of gas heating furnaces. Gaz.prom. no.6:24-28
Je '57. (MLRA 10:7)

(Automatic control) (Furnaces)

AUTHORS: ~~Korobko, M. I.~~, Zaliznyak, D. V., Firer, M. Ya., 72-58-3-5/15
Statsenko, A. V., Khrizman, S. S.

TITLE: Automatic Pressure-Regulation in Glass-Melting Furnaces
(Avtomaticheskoye regulirovaniye davleniya v steklovarenykh
pechakh)

PERIODICAL: Steklo i Keramika, 1958, Nr 3, pp. 17-22 (USSR)

ABSTRACT: The major part of the continuous glass-melting furnaces has a regulation of pressure which is carried out by an electro-hydraulic system. Tests with this were carried out in 1952 by V.G. Gutop and V. M. Obukhov in the Gusevskiy glassworks imeni Dzerzhinskiy (reference 2). Their insufficient reliability and complication was proved in practice. This induced some members of the personnel, amongst whom there was also V. M. Obukhov, to propose other systems of pressure - regulation. A series of systems is compared with each other in this work. The regime of chamber pressure has a great influence on the technology and thermodynamics of glass - melting, since it produces the gaseous atmosphere required above the metal. Special importance is attributed to the

Card 1/3

Automatic Pressure-Regulation in Glass-Melting Furnaces

72-58-3-5/15

gaseous and hydraulic regime during the operation with a layer of soda-sulfate, as it was proved in the practice of the Gomel glassworks. The composition of the exhaust gases of system number 1 of the glass-works at Gomel, is shown in table 1. With respect to the problem of pressure-regulation, the authors refer to the works by M. I. Korobko (reference 1), V. G. Gutop and B. M. Usvitskiy (references 1 and 2). An electro-hydraulic system of pressure-regulation is shown in figure 1. Further, the deficiencies of the hydraulic systems are fully described and the advantages of an electric system, as well as of the rotary slide valves, are pointed out. Data on both equipment and cost of various systems of regulation are given in the table 2. The following component parts of this system are given: an electric manometer **DMR**, regulator **RDM** - 3, recording mechanism **TNSK**, magneto-starter **MPKO** - 210, executive mechanism **IMT** 25/120, electron regulator **EPR**, and others. 3 systems of regulation are represented in figures 3, 4 and 5 and a diagram of the recording device is shown in figure 6. The automatic pressure regulation in the furnace, based on the measurement at one point, is qualified as insufficient. The use of the regulator **EPR** of the Institute for Gas-Utilization AN Ukrainian SSR

Card 2/3

Automatic Pressure-Regulation in Glass-Melting Furnaces

72-58-3-5/15

which regulates all sections of the furnace (figure 7) and which was experimentally used in the Gomel glassworks, is recommended. There are 7 figures, 2 tables, and 7 references, 7 of which are Soviet.

1. Glass--Production

Card 3/3

KOROBKO, M.I.; FATMYEV, F.G.

Multipoint automatic control of annealing tunnel furnaces. Stek. 1
ker. 15 no. 4:18-22 Ap '58. (MIRA 11:5)
(Glass furnaces) (Automatic control)

Korubko, M.I.

NOV/576

Содержание

[illegible]

Editor, 908 W. Main Street, Chicago, Ill.

Mrs. V. Damsky Tech. Ed.: E. Ousarov; Editorial Board: P.M. Wolf's

Ed.: A.S. Kribelov, I.A. Orlov, (Metz. Ed.),

(Chief M.A.), N.Y. County, and
L.A. County, and N.Y. State.

PURPOSE: This collection of articles is intended for students and teachers and for students of schools of higher education specializing in electronics, telecommunications, and computing.

CONTENTS: The collection contains papers on the automation of metallurgical, chemical and power engineering and on the development of new instruments, electrical and power engineering and a protection control system for turbine boilers.

A bibliography on systematic analysis of solutions concerning the *Belashevskii* and *Shur* problems is included. No personal files are mentioned.

ACQUISITION OF INITIAL MOTIVATION

~~Forzhitskiy, A.D. Gilyachenko, V.F. Karolovich, V.I. Korzhik,
V.M. Artyukov. Automation System for Open-Search~~

Internal Processes
Korshak, M.L., V.I. Korshak. Open-Heart Control System
15

Bennett, K.A., B.G. McKeown, Accoustic Inspection and Control of Blast Disturbances in Open-Mouth Tunnels

Robert, R.L. New Indirect Method for the Measurement of the
Malicicompact Solutions
Barnes, O.H., J.M. Jones, V. K. Ojeda, V.M. Arnesen, Jr.
22

Control System of Turbine Engine
System, O.A., and O.V. Portability. Shift Pickup Called "Magneto" 3

CONCLUSION

Report No. 1 Comparison of Methods of Selecting Telemechanic Priority Code

SHIRAS, J.H. and T.J. STONE. Circularity for synchronous reception of Teletype-like Proprietary Codes (Synchronous Operator-Pilots)

Shihor, T.M., V.P. Korenko. Calculator "Tiran-2" for the
Bimodal Distribution of Active Load in Power Systems

Blatov, V. M. and Poljansky, E. Ya. Basis for Selecting Criterion With Regard to the Necessity of Registering Net Losses During Distribution of Load Among Electric Power Stations.

Rebuck, V.T. and V.A. Laptiy. Electronic Level Controller
Yaroslavl V. A. K. Korneev'skiy, K. P. Titarenko.

Hydroconcentration Meter for Potassium Salt Solutions
Ternovskii, T.S.; K.M. Kolesovskii, D.M. Alayevskii. *Highly*

Sensitive Germanium Photo-diode
Powering, T.A. and B.L. Tsell'er. Cold-Welded Germanium

AUTOMATIC CONTROL

Salmonson, O.D. New Principle of Control Using High-Speed Nonlinear Controllers for Industrial Processes With Considerable Lag

Gel'shteyn, V. P. and Yu. I. Smolyenko. Approximate Methods for Selecting Optimum Adjustments of Discontinuous Control Systems

Lecluyer, R. Ta., and A. F. Geyndak. Selection of Control Parameters for a Mercury-Pool Electrolytic Bath

~~KOROBKO, M.I.; STREL'CHENKO, A.G.; KOROTKIVICH, V.N.; KOZLYUK, V.I.;~~
~~TYSHKO, A.I.; ARTYNSKIY, V.M.~~

Automatic control of thermal processes in an open-hearth furnace.
Avtom.i prib. no.1:9-14 '59. (MIRA 13:10)
(Electronic control) (Open-hearth furnaces)

KOROBKO, M.I.; KOZLYUK, V.I.

Control system for open-hearth furnaces. Avtom.i prib. no.1:14-17
'59. (MIRA 13:10)

(Electronic Control) (Open-Hearth Furnaces)

KOROBKO, M.I.

Report to be presented at the 1st Int'l Congress of the Int'l Federation of Automatic Control, 25 Jun-5 Jul 1960, Moscow, USSR.

- BYKOV, I. L. - "New stability in electronic calculating devices in the solution of nonlinear equations in indefinite form".
- CHERNOZHUKOV, A. B. - "Use of calculating devices in systems for the automatic control of rolling mills".
- CHERNOMIR, V. L. - "Concerning some problems of the organization of self-adjusting and self-teaching systems of automatic control, based on principles of random search".
- EMINOV, I. I. - "Development of automatic control systems for boiler units".
- EMINOV, I. I. - "Determination of optimum adjustments of industrial automatic regulation systems according to initial data obtained from experience".
- EMINOV, I. I. and KUCHENKO, E. N. - "Methods of organizing optimum functions in the theory of nonlinear regulating systems".
- EMINOV, I. I. - "Radio regulation and inter-communications of a multi-actor electric drive and technology in continuous rolling mills".
- EMINOV, I. I. - "Problems of statistical theory of automatic optimization systems".
- EMINOV, I. I. - "Automation of a reversible cold rolling mill for continuous metal".
- EMINOV, I. I. - "Application of the theory of differential equations with discontinuous right side to nonlinear problems of automatic regulation".
- EMINOV, I. I. - "Structural analysis and operational reliability of relay devices".
- EMINOV, I. I. - "Automation of irrigation systems".
- EMINOV, I. I. and KUCHENKO, E. N. - "Power regulation of disturbance and problems of the stability of electric power systems".
- EMINOV, I. I. - "Logical method of synthesis of functional converters".
- EMINOV, I. I. - "Methods of transmission of information and the structure of telemechanical systems for dispersed structures".
- EMINOV, I. I. and LITVIN, (Iu) - "The code-impulse system of telemechanical systems for dispersed structures".
- EMINOV, I. I. - "Concerning the application of the theory of combined regulation systems to the automatic adaptation of systems".
- EMINOV, I. I. and KUCHENKO, E. N. - "A quasi-equilibrated bridge as an element in a system of automatic control".
- EMINOV, I. I. - "Concerning the process of extra regulation of inert objects in the presence of disturbance".
- EMINOV, I. I. - "Some problems of the theory of statistical linearization and its application".
- EMINOV, I. I. - "Some problems of the theory of impulse systems with the selection".
- EMINOV, I. I. and KUCHENKO, E. N. - "Vibration of systems with impulse systems with the selection".
- EMINOV, I. I. and KUCHENKO, E. N. - "The problem of bi-electric control".
- EMINOV, I. I. - "The types of photo resistances and their field of use".
- EMINOV, I. I. and KUCHENKO, E. N. - "System of automatic control and regulation of blast distribution in the furnace of blast furnace".
- EMINOV, I. I. - "Investigation of the dynamics of the hydraulic part of a copying jack".
- EMINOV, I. I. - "Dynamics of continuous systems of automatic regulation with extra self-adjustment of corrective devices".
- EMINOV, I. I. - "Concerning the selection of parameters of optimum stability systems".
- EMINOV, I. I. - "The dynamics of devices imitating living organisms".
- EMINOV, I. I. - "The invariant theory of automatic regulation and control systems".
- EMINOV, I. I. - "Automatic calculating devices as a means of insuring the reliability of complex automation systems".
- EMINOV, I. I. and KUCHENKO, E. N. - "Mechanization of processes of analysis and synthesis of the structure of relay devices".

AKUTIN, G.K. [Akutin, G.K.]; GAYVENKO, Yu.O. [Haievenko, Yu.O.];
 DYACHENKO, M.Ya.; ZHAROV, M.T.; IVANOV, S.K.; KARNYUSHIN,
 I.B.; KLODNITSKIY, I.I. [Klodnyts'kiy, I.I.]; KOBUS, Yu.Y.
 [Kobus, Yu.Y.]; KOEYU, V.Y. [Kozliuk, V.I.]; KORYTHNIKOV,
 V.P.; KOROBKO, M.I.; KOSTOGRIZOV, V.S. [Kostehryzov, V.S.];
 LADYEV, R.Ya. [Ladiev, R.Ia.]; MARTYNIK, G.F. [Martynik,
 G.F.]; MEL'NIK, P.M.; kand.tekhn.nauk; NAVOL'NEV, S.Ya. . .
 [Navol'nev, S.Ia.]; SIN'KOV, V.M.; SPIBU, G.O. [Spynu, G.O.];
 SHOKHET, L.A.; SHUMILOV, K.A.; KORSAK, Yu.Ye. [Korsak, Yu.IE.];
 red.; LAGUTIN, I.A. [Lahutin, I.A.], tekhn.red.

[Automation in industry] Avtomatizatsia v promyslovosti.
 Kyiv, Derzh.vyd-vo tekhn.lit-ry URSS, 1960. 288 p. (MIRA 14:12)

(Automation) (Industrial management)

S/133/60/000/011/004/023
 A054/A029

AUTHORS: Korobko, M.I., Candidate of Technical Sciences, Artynskiy, V.M.,
 Engineer

TITLE: Computers Used in Controlling the Thermal Conditions of Open-
 Hearth Furnaces

PERIODICAL: Stal', 1960, No. 11, pp.981-984

TEXT: To date trials are made to use computers in controlling the heat
 operating condition of open-hearth furnaces by regulating automatically the
 two most important indices of the heat system: the specific heat-absorption
 of the bath (ΔQ) and the thermal efficiency of the furnace (η). In order
 to feed the necessary information into the computer, transmitters of gas and
 air temperature, as well as of temperatures and quantities of the burning
 products removed from the melting area and of the volume of carbon oxide libe-
 rated from the bath, etc., have to be designed and constructed. The KЭТИ:
 (KETI) type computer designed for this purpose is based on the equation of
 reversed "momentary" heat balance and serves in the first place to complete
 the intermediary automatic heat-process regulation of the system of open-hearth
 furnaces (CAMП - SAMP system). This system, which is still in the experi.

S/133/60/000/011/004/023
A054/A029

Computers Used in Controlling the Thermal Conditions of Open-Hearth Furnaces

parameters η , ΔQ , the thermal load and the feed of oxygen into the torch, it was found that with the aid of the KETI computer it was possible to establish the optimum intervals of reversals, which could be decreased 2-3 times per casting. In this way the idling time of the furnace during periods of heat exchange, the fuel losses through the chimney and the wear of the reversing mechanisms could be decreased. As a result of the application of the computer control system, the experimental melting time was reduced by 55 minutes and the fuel consumption for one melting could be decreased by 3%, i.e., 10.3 million calories. The C-content of the experimental melt was 0.62% as compared to 0.72% of the conventional melts. The KETI type computer can be used in any automatic system of heat regulation for open-hearth furnaces equipped with ferrodynamic transmitters. There are 4 figures, 1 table and 2 Soviet references. ✓

Card 3/3

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824730007-0

S/194/62/000/006/015/232
D413/D308

AUTHOR: Korobko, M.I.

TITLE: Application of computers to the control of an open-hearth plant

PERIODICAL: Referativnyy zhurnal. Avtomatika i radioelektronika, no. 6, 1962, abstract 6-1-124 i (V sb. Primeneniye vychisl. tekhn. dlya avtomatiz. proiz-va, M., Mashgiz, 1961, 210-222)

TEXT: It is observed that the conditions do not at present exist for the design and application of a centralized computer for controlling the thermal process in all the furnaces of a plant, as well as the melting process and all auxiliary equipment. It is proposed that local computers should be designed and brought into use. Figures are given for the expected efficiency of the all-round automation of open-hearth steel production. The objectives of automation are listed. A description is given of a system and equipment under development at the Institut avtomatiki USSR (UkrSSR Institute of Automation): 1) The CAMП (SAMP) openhearth furnace automation

Card 1/2 ✓

S/119/62/000/001/004/011
D201/D302

AUTHORS: Berezovskiy, M.A., Korobko, M.I., Saulova, L.V., and Strel'chenko, A.G.

TITLE: Multitrack recording instruments and devices for multi-point and multi-channel control

PERIODICAL: Priborostroyeniya, no. 1, 1962, 15 - 19

TEXT: The authors briefly describe the following multi-track recording instruments developed at the Institut avtomatiki Gosplana USSR (Institute of Automation of State Planning of the UkrSSR). 1) A six-point recorder for operation in conjunction with inductive pickups; developed from the six-point electronic automatic bridge type ЭМП-209 (EMP-209). 2) A six-channel flow, pressure or consumption meter to work with original ferro-dynamic transducers, based on the electronic pen-recorder type КВТ (KVT) in production in East Germany. 3) A multi-channel temperature recorder and controller, based on the automatic electronic potentiometer ЭПП-09 (EPP-09). The new instrument incorporates a switched electronic controller type РЭП -

Card 1/4

Multitrack recording instruments ...

S/119/62/000/001/004/011
D201/D302

2С (РЕР-2С). In this controller, as opposed to the existing controllers ЭРС-67 (ERS-67) and ЭРК-77 (ERK-77), the readings of control intervals are independent of the formation of output signals. For multi-point control, the Institute has developed a switching, six-position unit type БПУ-6 (BPU-6). A further development of it, a multi-channel control device type РЭП-6 (REP-M6) makes it possible to adjust every control channel for the specific dynamics of the object. The use of the control arrangement РЕР-М6 or ЭРУ-7К (ERU-7K) in conjunction with the switching unit BPU-6 makes it possible to obtain a multi-channel, multi-point control of up to 100 points. The following other automation devices have also been developed at the Institute. 1) Electronic control device type РЭП-ИМ (REP-IM). Its measurement section takes the form of an a.c. bridge, the control section consists of a set of four electronic time relays, using type 6ННП (6NIP) valves and electromechanical relays. The device is quite flexible in operation. 2) Electronic control device type РЭП-2 (REP-2). A more sensitive variant of REP-2). A more sensitive variant of REP-IM, with self-synchronizing output relays and a thyatron for indication of control operation. 3) Elec-

Card 2/4

Multitrack recording instruments ...

S/119/62/000/001/004/011
D201/D302

tronic control device type РЭП-3 (REP-3), developed for controlling high-resistance (ferro-dynamic) pick-ups which require higher input voltages. This has been achieved by using a 6Ж5П (6Zh5P) pentode at the input. The response is logarithmic which, however, does not introduce noticeable distortion of the static characteristic of the controller. For sequential multi-point control using type REP controllers, the latter are used in conjunction with switching units BPU-6. Each of the controllers of the above type, has a contact controlling the BPU operation in such a manner, that after the control device has been switched to the control position, the BPU connects to it the pick-up and the output of the next object. The circuit of the BPU device represents a ring circuit, designed around cold cathode thyratrons type MTX-90 (MTKh-90), which can switch from 2 ... 6 controlled points. The instruments of multi-point sequential control type ЭМНП (EMPR) and ЭППП (EPPR) are used as the basis for REP-2S instruments, the modification consisting of adding another bank of commutators to the switch and by replacing the discs of the position control arrangement by potentiometer pick-ups. The six-channel electronic controller REP-M6 consists of eight units,

Card 3/4

Multitrack recording instruments ...

S/119/62/000/001/004/011
D201/D302

six having a thyatron trigger in conjunction with two 6ННП (6NIP) valve switches. The six are triggered from a time interval unit, the latter consisting of a binary thyatron counter. The ЗРУ-7К (ERU-7K) seven-channel control device consists of eight units again. Seven of these are the proper control circuits and the eighth is the power supply unit. Every control unit consists of an amplifier using a 6Zh5P valve in conjunction with an electronic time relay. The series production of REP-IM instruments began in 1960: REP-2, REP-3, REP-M6, BPU-6 and ERU-7K are produced in small batches by the experimental plant of the Institute of Automation. The multi-track instruments are not being series-produced. There are 10 figures and 1 table.

Card 4/4

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824730007-0

KORO EKO, M. I.; SAMOYLENKO, Yu. I.

"Dynamic Planning of an Open Hearth Plant."

Paper to be presented at the IFAC Congress to be held in Basel, Switzerland, 27 Aug to 4 Sep 63

BEREZOVSKIY, Mikhail Aleksandrovich, inzh.; KOROBKO, Mikhail
Ivanovich, kand. tekhn. nauk; SAULOVA, Larisa
Vyacheslavovna, inzh.; KOCHO, V.S., doktor tekhn. nauk,
retsenzent

[Sampled-data control devices] Elektronnye regulirui-
shchie ustroistva preryvistogo deistviia. Kiev, Tekh-
nika, 1964. 137 p. (MIRA 18:1)

SERDYUK, S.M.; KOROBKO, M.I., kand. tekhn. nauk; SOBOLEV, S.K., kand.
tekhn. nauk; STEPANCHENKO, L.K.

Control of heat conditions in converter smelting. Avt. 1
prib. no.4:3-5 O-D '64 (MIRA 18:2)

KOROBKO, M.I., kand. tekhn. nauk, red.; INOSOV, V.L., red.;
OLEFIR, F.F., red.; REZNIK, M.G., red.; PECHUK, V.I.,
red.; SHUMILOV, K.A., red.; PAVLENKO, V.N., red.

[Complete automation in steelmaking] Kompleksnaia avto-
matizatsiia proizvodstva stali. Kiev, In-t tekhn. in-
formatsii, 1963. 198 p. (MIRA 18:6)

1. Ukraine. Gosudarstvennaya planovaya komissiia. Institut
avtomatiki.

SERDYUK, S.M.; SOBOLEV, S.K., kand. tekhn. nauk; KOROBKO, M.I., kand.
tekhn. nauk; KOZIN, G.N.; GUL'YEV, G.F.; RACHKOV, V.N.

Continuous measurement of metal temperature and carbon content
control in a converter during scavenging. Avtom. i prib.
no.1:12-14 Ja-Mr '65. (MIRA 18:8)

BABAKOV, A.A.; FEDOROVA, V.I.; SOLOV'YEV, L.L.; LOLA, V.N.; DODOKA, L.I.;
CHERKASHINA, N.P.; SHAMIL', Yu.P.; SMOLYAKOV, V.F.; BABKOV, T.M.;
MOSHKEVICH, Ye.I.; PARADA, A.N.; REPESHKO-KRAVCHENKO, S.I.;
ALEKSEYENKO, M.F.; KOROBYKO, M.I.; KOROBYKO, I.M.; AVERIN, N.M.;
MATOV, A.A.; MIGUTSKIY, L.R.

Inventions. Met. i gornorud. prom. no.4:83 J1-Ag '64. (MIRA 18:7)

MARTYNYUK, G.F.; KOROBKO, M.I.; KISELEV, Yu.Ye.

Determining the technological parameters of open-hearth
furnace smelting by means of controlling the furnace atmosphere.
Met. i gornorud. prom. no.3:22-25 My-Je '65.

(MIRA 18:11)

KOROBKO, M.L., inzhener.

Improving the reversing of valves on open-hearth furnaces. Trudy
Inst.isp.gaza AN URSR 1:99-118 '53. (MLRA 9:6)
(Open-hearth furnaces)

KOROBKO, N., mayor

The banner is presented to the military commissariat.
Voen.-znan. 41 no.12:32-33 D '65.

(MIRA 18:12)

KOROBKO, N.I. [Korobko, M.I.]; ULIT'KO, V.Ye. [Ulits'ko, V.IU.];
CHERTOV, V.M.

Chromatographic analysis of volatile fatty acids in the rumen
contents of ruminants. Ukr.biokhim.zhur. 34 no.6:915-923 '62.
(MIRA 16:4

1. Ukrainian Agricultural Academy and the Institute of Physical
Chemistry of the Academy of Sciences of the Ukrainian S.S.R.
(RUMEN) (ACIDS, FATTY) (CHROMATOGRAPHIC ANALYSIS)

KOROBKO, P. Ya, Cand Tech Sci — (diss) "Investigation of operational technology at ice delivering places associated with ice-harving plants," Moscow, 1960, 11 pp (Moscow Institute of Railway Transport Engineers in I. V. Stalin) (KL, 35-60, 125)

KOROBKO, P.Ya., assistant.

Selecting optimum capacity ice storage facilities for railroad ice
plants. Trudy TASHILT no.6:95-102 '56. (MLRA 9:11)
(Icehouses)

of Agriculture

COUNTRY : USSR
CATEGORY :

M-4

ABS. JOUR. : RZBiol., No. 19, 1959, No. 86981

AUTHOR : Korobko, P. Ya.
INST. : Moldavian Scientific Research Institute*
TITLE : Some Data on Selection of Lodging resistant Winter Wheat Varieties Under highly Favorable Growing Conditions.

ORIG. PUB. : Byul. nauchno-tekhn. inform. Mold. n.-1. in-ta s. lh. Kishinev, 1957, 53-55

ABSTRACT : Of all the varieties tested in competitive trials Erythrospermum 720 did not lodge. This variety can not be used in Moldavian SSR because of its low winter-hardiness and poor quality of grain. Among hybrids particularly good characteristics are shown by Erythrospermum 720 x Odesskaya 3, which exceeds in yield the parent forms, is more resistant to lodging than Odesskaya, but inferior in this respect to Erythrospermum 720. -- A. F. Khlystova.

CARD: 1/1

* of Agriculture.

KOROBKO, P. Ya., inzh.

Choosing optimum capacities and dimensions of forms used in making ice. Vest. TSNII MPS 17 no.1:54-56 F '58. (MIRA 11:3)
(Ice--Manufacture) (Railroads--Equipment and supplies)

KOROBKO, P.Ya., kand.tekhn.nauk

Selection of the efficient thickness of ice block insulation.
Khol.tekh. 39 no.6:52-53 N-D '62. (MIRA 15:12)

1. Tashkentskiy institut inzhenerov zheleznodorozhnogo
transporta.

(Ice industry ~~Equipment~~ and supplies)

KOROBKO, V.

SEREDENKO, M.M.; GIANAZDA, A.D.; KHOTIMCHENKO, M.M.; SEVCHENKO, Ya.O.;
RUDOI, P.Yu.; KHARCHENKO, P.F.; KHRAMOV, O.O.; GURKOVA, V.O.;
GORELIK, L.Ye.; RIZHKOV, I.I.; ZHAREBKin, O.P.; NIKOLAYEVA, I.V.;
KOROBKO, V., redaktor; LAPCHENKO, K., tekhnichnyi redaktor

[Industry of the Soviet Ukraine during 40 years, 1917-1957]
Promyslovist' Radians'koi Ukrainy za 40 rokiv (1917-1957). Kyiv,
Derzh.vyd-vo polit.lit-ry URSR, 1957. 330 p. (MLRA 10:10)

1. Akademiya nauk URSR, Kiyev. Institut ekonomiki.
(Ukraine--Industries)

KOROBKO, V., otv. za vypusk

[Program in the economic geography of the U.S.S.R. for the departments of economics of evening universities of Marxism-Leninism conducted by local committees of the party] Programma z ekonomicheskoi geografii SSSR dlia ekonomichnykh fakul'tetiv vechirnykh universitetiv marksizma-leninizma pry mis'kkomakh partii. Kyiv, Derzh.vyd-vo polit.lit-ry URSR, 1958. 13 p.
(MIRA 12:6)

1. Kommunisticheskaya partiya Sovetskogo Soyusa. Vysshaya partiynaya shkola. Kafedra ekonomicheskoy i politicheskoy geografii SSSR i zarubezhnykh gosudarstv.
(Russia--Economic conditions)

PHASE I BOOK EXPLOITATION SOV/3736

Zhalnin, I.Ye., Ye.V. Starikova, P.S. Tindo, V.A. Korobko, and G.N. Ratush, compilers.

Tekhnicheskiye usloviya na nefteprodukty (Standard Specifications for Petroleum Products) Moscow, Gostoptekhnizdat, 1960. 462 p. 7,500 copies printed.

Sponsoring Agency: RSFSR. Gosudarstvennaya planovaya komissiya

Ed.: G.Ya. Solganik; Tech. Ed.: A.V. Trofimov.

PURPOSE: This book is intended for petroleum refinery personnel and those engaged in purchasing, supply, transportation and other branches of the petroleum industry.

COVERAGE: The book gives specifications for petroleum products including synthetic hydrocarbons, solvents, illuminating fuel, lubricants, greases, additives, paraffins, ozokerite and ceresine products, petrolatum, asphaltic products, and process materials used

~~Card 1/21~~

Standard Specifications (Cont.)

SOV/3736

at petroleum refineries and in the chemical industry. It contains 205 standard specifications approved on November 1, 1959 by the former Ministry of the Petroleum Industry, USSR; the former Ministry of the Petroleum Industry, Azerbaydzhanskaya SSR; the Mosgorsovnar-khoz, Kuybyshevskiy sovnarkhoz, and Checheno-Ingushskiy sovnarkhoz; and the GlavNIT, Glavneftepererabotka, and Glavgaz organizations of the petroleum industry. It is pointed out that various products including aviation gasolines are being produced from sulfur-bearing crude, that the viscosity index of motor and industrial lubricants manufactured from such crude at eastern refineries is 85 or higher, while the viscosity index of similar lubricants from low-sulfur crude at the Baku refineries ranges from 50 to 70, and that all lubricants manufactured at the new refineries by means of the selective solvent process have a higher color index. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Foreword

3

~~Card 2/21~~

ZHALNIN, I.Ye.; inzh.; STARIKOVA, Ye.V., inzh.; TINDO, P.S., inzh.;
KOROBKO, V.A., inzh.; RATUSE, G.N., inzh.; SOLOGANIK, G.Ya.,
vedushchiy red.; TROPIMOV, A.V., tekhn.red.

[Technical specifications for petroleum products] Tekhnicheskie usloviia na nefteprodukty. Moskva, Gos.nauchno-tekhn. izd-vo nef. i gorno-toplivnoi lit-ry, 1960. 482 p.

(MIRA 13:3)

(Petroleum products--Specifications)

KOROBKO, V.G., inzhener.

Introduce new safety measures in mines of Nikopol'-Manganets
Trust. Bezop.truda v prom. 1 no.6:12-13 Je '57. (MIRA 10:7)

(Nikopol' Basin--Mining engineering--Safety measures)

Korobko V. G.
KOROBKO, V.G., inzh.; LISTROV, O.F., inzh.

Preventing accidents in mines of the Krivoy Rog Basin. Bezop.
truda v prom. 1 no.10:11-13 0 '57. (MIRA 10:11)

1. Krivorozhskiy nauchno-issledovatel'skiy gornorudnyy institut.
(Krivoy Rog Basin--Mine accidents)

KOROBKO, V.G., starshiy nauchnyy sotrudnik; LISTROV, O.F., starshiy
nauchnyy sotrudnik.

Underground lighting in iron mines. Bezop. truda v prom. 2
no.1:36 Ja '58. (MIRA 11:1)

1. Nauchno-issledovatel'skiy gornorudnyy institut, Krivbass.
(Iron mines and mining--Safety measures)

KOROBKO, V.G., inzh.

Textbook on safety engineering in mining. Bezop.truda v prom.
2 no.4:37 Ap '58. (MIRA 11:4)

1. Krivorozhskiy nauchno-issledovatel'skiy gornorudnyy institut.
(Mining engineering--Safety measures)

KALINICHENKO, V.P., inzh.; KOROBKO, V.G., inzh.

Operating electric equipment at Krivoi Rog Basin mines. Besop.
truda v prom. 2 no. 6:9-Je '58. (MIRA 11:7)
(Krivoi Rog Basin--Electricity in mining)

IL'YENKO, Vasilii Grigor'yevich; KOROBKO, Vasilii Grigor'yevich; KONOGRAY,
Boris Yakovlevich; KOVSHULYA, Fedor Andreyevich; LISTROV, Oleg
Fedorovich; D'YACHENKO, I., red.; GUSAROV, K., tekhn.red.

[Safety techniques in Krivoy Rog Basin mines] Tekhnika bezopasnosti
na shakhtakh Krivbassa. Kiev, Gos.isd-vo tekhn.lit-ry USSR, 1959.
133 p. (MIRA 13:4)

(Krivoy Rog--Mining engineering--Safety measures)

KOLOSOV, M.N.; POPRAVKO, S.A.; GUREVICH, A.I.; KOROBKO, V.G.; VASINA, I.V.;
SHEMYAKIN, M.M.

Tetracyclines. Part 28: Synthesis and reversible isomerization of
the derivatives of 9-keto-4,5,10-trihydroxy-1,4,4a,9,9a,10-hexahydro-
anthracene. Zhur. ob. khim. 34 no.8:2534-2539 Ag '64.
(MIRA 17:9)

1. Institut khimii prirodnikh soyedineniy AN SSSR.

VOLKOV, Yu.P.; KOLOSOV, M.N.; KOROBKO, V.G.; SHEMYAKIN, M.M.

Tetracyclines. Report No.20: Configuration of 2- and 3-substituted 10-keto-9-hydroxy-1,2,3,4,4a,9,9a,10-octahydroanthracenes and the stereochemistry of the reduction of naphthoquinone-butadiene adducts with aluminum hydride. Izv. AN SSSR. Ser.khim. no.3: 492-501 Mr '64. (MIRA 17:4)

1. Institut khimii prirodnikh soyedineniy AN SSSR.

KOLOSOV, M.N.; POPRAVKO, S.A.; KOROBKO, V.G.; KARAPETYAN, M.G.; SHEMYAKIN, M.M.

Tetracyclines. Part 30: Construction of a tricyclic system DCB
of tetracycline antibiotic. Zhur. ob. khim. 34 no.8:2547-2553
Ag '64. (MIRA 17:9)

1. Institut khimii prirodnikh soyedineniy AN SSSR.

GUREVICH, A.I.; KARAPETYAN, M.G.; KOLOSOV, M.N.; KOROBKO, V.G.;
ONOPRIYENKO, V.V.; SHEMYAKIN, M.M., akademik

Synthesis of hydronaphthacenes related to anhydrotetracyclines. Dokl.
AN SSSR 155 no.1:125-127 Mr '64. (MIRA 17:4)

1. Institut khimii prirodnikh soyedineniy AN SSSR.

GUREVICH, A.I.; KOLOSOV, M.N.; KOROBKO, V.G.; POPRAVKO, S.A.; SHEMYAKIN, M.M.

Tetracyclines: Part 40: Michael's reaction with derivatives of Δ^2 -
tricycline DCB. Zhur. ob. khim. 35 no.4:652-659 Ap '65.

(MIRA 18:5)

1. Institut khimii prirochnykh soyedineniy AN SSSR.

GUREVICH, A.I.; KARAPETYAN, M.G.; KOLOSOV, M.N.; KOROBKO, V.G.; SHEMYAKIN, M.M.

Tetracyclines. Part 42: Synthesis of 11,12-dideoxy-4-dedimethylamino-5 α ,6-anhydrotetracycline. Zhur. ob. khim.
35 no.4:668-673 Ap '65. (MIRA 18:5)

1. Institut khimii prirodnikh soyedineniy AN SSSR.

VASENIN, R.M.; CHALYKH, A.Ye.; KOROBKO, V.I.

Moving boundary problem in diffusion in the polymer - solvent systems. Vysokom. soed. 7 no.4:593-600 Ap '65.

(MIRA 18:6)

1. Moskovskiy tekhnologicheskiy institut legkoy promyshlennosti.

IVANOVSKIY, Georgiy Ivanovich [Ivanovs'kyi, H.]; GAK, D.V. [Hak, D.V.],
kand.ekon.nauk, red.; DAN'KO, I.V., referent, red.; KOROBKO,
V.I., red.

[Zaporosh'ye Economic Region] Zaporis'kyi ekonomichnyi administra-
tyvnyi raion. Kyiv, 1959. 38 p. (Tovarystvo dlia poshyrennia
politychnykh i naukovykh snan' URSR. Ser.2, no.1) (MIRA 12:3)
(Zaporosh'ye Province---Industries)

SHEVCHENKO, Anton Yefimovich; PALAMARCHUK, M.M., doktor ekon. nauk,
prof., otv. red.; KOROBEKO, V.I., red.; MATVIICHUK, O.A., tekhn.
red.

[Industrial development and its role in creating the productive
forces of communism] Rozvytok promyslovosti ta ii rol' u stvoren-
ni produktyvnykh syl komunizmu. Kyiv, 1962. 37 p. (Tovarystvo
dlia poshyrennia politychnykh i naukovykh znan' Ukrain's'koi RSR.
Seriia 3, no.5) (MIRA 15:12)

(Russia—Industries)

KORCBKO, V.I., gornyy inzh.

Results of reorganizing the Mine No.2 of the Leninougol' Trust.
Ugol' 40 no.1:64-65 Ja '65. (MIRA 18:4)

1. Kommunaraskiy gornometallurgicheskiy institut.

KOROBKOV, V.B.

Relation between the frequencies of symmetric and antisymmetric vibrations of type XH_2 groups. Opt. 1 spektr. 14 no.6:825-827 Je '63. (MIRA 16:8)

(Amino group--Spectra)

KOROBKO V.V.
YASKEVICH, A.I.

Collection of clinical prescriptions." B.I.Trusevich, V.V.Korobko.
Reviewed by A.I.Iaskevich. Farm. 1 toks. 18 no.4:56-57 51-18 55.
(MEDICINE--FORMULAE, RECPTS, PRESCRIPTIONS) (MLRA 8:11)
(TRUSEVICH, B.I.) (KOROBKO, V.V.)

MACHULA, V.I.; KOROBEKO, V.Ye.

Contribution of the efficiency promoters of our factory. Sakh.
prom. 36 no.9:48-49 S '62. (MIRA 16:11)

1. Sakharnyy zavod im. gazety "Pravda".

KOROHKO, Yu.A.

Study of osseous cellophane tumors. Dokl. AN SSSR 159 no.2:
457-460 N '64. (MIRA 17:12)

1. Institut morfologii zhivotnykh im. A.N. Severtsova AN SSSR.
Predstavleno akademikom T.D. Lysenko.

KOROBKO, Yu.A.

Study of skin regeneration in mice following chemical carcinogenesis.
Dokl. AN SSSR 134 no.6:1494-1496 0 '60. (MIRA 13:10)

1. Institut morfologii zhivotnykh im. A.N.Severtsova Akademii nauk
SSSR. Predstavleno akademikom A.N.Bakulevym.
(CARCINOGENS) (REGENERATION (BIOLOGY))
(SKIN--WOUNDS AND INJURIES)

L 56046-65

ACCESSION NR: AP5018362

UR/0020/64/159/002/0457/0460

AUTHOR: Korobko, Yu. A.

TITLE: Investigation of cellophane bone tumors

SOURCE: AN SSSR. Doklady, v. 159, no. 2, 1964, 457-460

TOPIC TAGS: experiment animal, neoplasm, bone disease, histology, cytology

ABSTRACT: This study was part of a larger investigation on the isolation of the interacting tissue systems and organs with cellophane films. The work was designed to show the influence exerted on the development of the long bones of the introduction of a cellophane film between the bone system and the bone, which exert a morphogenetic and histogenetic influence on one another. In the experimental rats, the fibula was separated from the tibia; then a cut was made on the tibia with a sharp scalpel, the periosteum was scraped off with a spatula, and a cellophane film was pushed through and

Card 1/3

L 56046-65

ACCESSION NR: AP5018362

0

wrapped twice around the tibia. Wrapping of the bone with cellophane film under the periosteum was found to lead to the formation of bone tumors. The primary tumors consisted of two types of cells -- star-shaped, and round, with projections. The strain isolated from one of the primary tumors (cellophane osteosarcoma) was passed through 12 generations. As the number of generations was increased, the bone formation of the strain decreased, and a change occurred in the cellular composition (increase in the cells of a second type), as well as a certain increase in the number of mitoses.

In the control series, where cellophane was wrapped around the entire bone without disturbing the periosteum, not one tumor was obtained in 24 rats, as opposed to the experimental series, where seven rats out of 24 developed tumors. The authors conclude that the disturbance of the interaction between the systems of bone tissues leads to the formation of bone tumors which can be grafted.

Card 2/3

L 56046-65
ACCESSION NR: AP5018362

ASSOCIATION: Institut morfologii zhivotnykh im. A. N. Severtsova Akademii nauk
SSSR (Institute of Animal Morphology Academy of Sciences SSSR)

SUBMITTED: 27Jul64

ENCL: 00

SUB CODE: LS

NR REF SOV: 005

OTHER: 002

JPRS

RR
Card 3/3

FRUMKIN, G.; VODOP'YANOV, I.; KOROBEKOV, A.

Building control by State Bank branches. Den. 1 kred. 21 no.3:
39-46 Mr '63. (MIRA 16:3)

1. Nachal'nik tekhnicheskogo otdela Leningradskoy gorodskoy kontory Gosbanka (for Frumkin).
2. Nachal'nik tekhnicheskogo otdela Stavropol'skoy krayevoy kontory Gosbanka (for Vodop'yanov).
3. Starshiy inzh. Stavropol'skoy krayevoy kontory Gosbanka (for Kerebikov).

(Construction industry—Auditing and inspection)
(Banks and banking)

KOROBKOV, I.A. (Moskva); KOROBKOV, A.I. (Moskva)

Stage division of the Oligocene. Izv. AN Arm. SSR. Nauki o zem.
18 no.5:3-14 '65. (MIRA 18:9)

KOROBKOV, A.I. [Korobkov, O.I.]; SELIN, Yu.I.

Find of *Aralocaedia abichiana* Roman in the Upper Eocene
formations of the middle Dnieper Valley. Dop. AN URS'

no.4:504-507 '65.

(MIRA 18:5)

1. Trest "Kiyevgeologiya" i Vsesoyuznyy nauchno-issledovatel'skiy
geologicheskiy institut.

USSR/Medicine - Physiology

FD-2698

KOROBKOV, A. V.
Card 1/1 Pub. 33-7/28

Author : Korobkov, A. V., Leningrad

Title : Variation in the maximum frequency of motion of a digit under the influence of movements of the symmetrical [corresponding] extremity

Periodical : Fiziol. zhur. 41, 43-47, Jan-Feb 1955

Abstract : Investigated the change in the efficiency of the middle digit of man during the performance of movements at maximum speed under the influence of movements of the corresponding extremity, at the beginning, in the middle, and at the end of the exercise. Graphs. Thirteen reference, all USSR (6 since 1940).

Institution :

Submitted : September 29, 1953

YAKOVLEV, Nikolay Nikolayevich, prof.; KOROBKOV, Anatoliy Vital'yevich;
YANANIS, Stanislav Vladimirovich; BERZIN, A.A., red.; MANINA,
M.P., tekhn. red.

[Physiological and biochemical principles in the theory and
methodology of sports training] Fiziologicheskie i biokhimiche-
skie osnovy teorii i metodiki sportivnoi trenirovki. ¹zd.2., perer.
i dop. Moskva, Gos.izd-vo "Fizkul'tura i sport," 1960. 405 p.
(MIRA 14:12)

(PHYSICAL EDUCATION AND TRAINING)

ZIMKIN, N., polkovnik meditsinskoy sluzhby, doktor med.nauk,prof.
KOROBKOV, A., podpolkovnik meditsinskoy sluzhby, doktor
meditsinskikh nauk, dotsent

Increasing the body's resistance. Voen.vest. no.9:92-95 S
'60. (MIRA 14:7)
(PHYSICAL EDUCATION AND TRAINING)

KOROBKOV, A.V.; GOLOVACHEVA, D.A.; SHKURDODA, V.A.

Effect of muscular training and tonic substances on nonspecific
resistance and work capacity in rats. Fiziol. zhur. 47 no.1:30-
37 Ja '61. (MIRA 14:3)

1. From the Lenin Institute of Physical Culture and Sport, Leningrad.
(EXERCISE) (X RAYS--PHYSIOLOGICAL EFFECT)
(BENZIMIDAZOLE) (GINSENG)

S/865/62/002/000/007/042
D405/D301

AUTHOR: Korobkov, A.V.
TITLE: Physical exercise as a means of maintaining at a constant level the internal functions of the astronaut's organism
SOURCE: Problemy kosmicheskoy biologii. v. 2. Ed. by N. Siskyan and V. Yazdovskiy. Moscow. Izd-vo AN SSSR, 1962, 68-72

TEXT: The author discusses physical exercise as a means of maintaining internal stability of the body under physiological as well as pathological conditions. Increased muscular activity affects the excitability of various nervous centers. A weakening of particular groups of muscles has an adverse effect on various vegetative organs and systems. Muscular contractions play an important part in the development and functioning of the vegetative sphere of the organism. Special attention should be devoted to physical exercise which helps to maintain internal stability of the body when the

Card 1/2

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824730007-0
D405/D301

Physical exercise ...

latter is subjected to adverse environmental factors such as radiation, toxic substances, infections, overheating, cooling, etc. With regard to the physiological processes by means of which the muscular contractions maintain internal stability of the body, the relationship between organism and environment (both internal and external) is stressed. It seems likely that the great changes in the metabolic processes in organs and tissues, which accompany optimal muscular exercise, have a considerable influence on basic life processes and on raising the stability of the organism. Physical exercise leads to the development of compensatory processes when the body is subjected to adverse environmental factors; the exercise should be optimal for a given person both in intensity and duration; moreover it should be emotionally satisfactory and diverse. The importance of physical exercise under conditions of weightlessness and limited mobility (as in a space cabin) was experimentally established. Experiment also showed that preliminary physical training is helpful in maintaining the stability of the human organism under conditions of limited mobility and motion sickness. The physical training of astronauts should be coordinated in such a way so as to ensure optimal resistance under space-flight conditions.

Card 2/2

KOROBKOV, Anstoliy Vital'evich, doktor med. nauk, prof.; LUGTINA,
Ye.V., red.

[Exercise and health] Dvizheniia i zdorov'ie. Moskva, Izd-
vo "Znanie," 1964. 30 p. (Narodnyi universitet: Fakul'tet
zdorov'ia, no.23) (MIRA 18:1)

ACC NR: AT6036592

SOURCE CODE: UR/0000/66/000/000/0222/0224

AUTHOR: Korobkov, A. V.

ORG: none

TITLE: Dynamics of human adaptation to prolonged spaceflight conditions [Paper presented at the Conference on Problems of Space Medicine - Moscow - 24-27 May 1966]
SOURCE: Konferentsiya po problemam kosmicheskoy meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Moscow, 1966, 222-224

TOPIC TAGS: manned space flight, hypodynamia, space psychology, spatial orientation, body temperature, heart rate, respiration, human physiology, psychophysiology

ABSTRACT: In order to gain some understanding of the stages of adaptation to prolonged spaceflights and of acquisition of the ability to withstand the effect of extreme factors under those conditions, it is possible to utilize data obtained in ground experiments under conditions of limited space and hypodynamia, as well as data which illustrate the adaptation of the organism under conditions of high-altitude climate accompanied by maximal physical and psychological stresses.

Adaptation to conditions of hypodynamia is characterized by a series of common shifts on the part of the endocrine mechanism, by capillary stability, and by certain other reactions. On the basis of available data, it is possible to identify the following stages of adaptation to prolonged spaceflights:

Card 1/4

ACC NR: AT6036592

a--stage of acute functional compensation under conditions of acceleration, weightlessness, limited space, etc.;

b--the stage of chronic compensation in new conditions of the "man-environment" system -- constantly operative factors (weightlessness, space limitation, altered nature of communication, etc.), and periodically operative factors (noises, vibrations, changes in the nature of many types of information, etc.);

c--the stage of biological stability in new conditions of the "man-environment" system;

d--stage of chronic and acute decompensation, related to the exhaustion of compensatory mechanisms.

The duration of each phase depends on the level and characteristics of the previous readiness, and also on the in-flight measures which assure stability of the human organism. At the present time the characteristics of the first stage of adaptation (shifts related to psychological reactions, control of movement, endocrines, and others which have received the name "hypodynamic syndrome") have been best studied. As far as the following

Card 2/4

ACC NR: AT6036592

stages are concerned, they can be judged on the basis of shifts which arise under conditions of prolonged ground experiments under conditions of limited space and hypodynamia, and under conditions of heavy exercise with long periods of adaptation under high-altitude mountain conditions.

The study of changes of the functional state of persons conditioned to multiday hypodynamia has shown that readjustment of motor control is characterized by relatively great stability in persons with a high degree of physical fitness. At the same time, the level of physical fitness has a significant continuous effect on certain aspects of motor activity. Changes in the condition of the cardiovascular system were very marked in persons who had trained to develop muscular strength. At the same time, along with changes in the cardiac activity, a deterioration of the function of muscle blood vessels was noted. Changes registered during the study of temperature variations of the human body, respiration, and gas exchange indicate the increased instability of these indices due to hypodynamia. These changes were particularly marked among runners.

Adaptation to conditions of prolonged flight, which involves small physical and psychological strain, is not identical with the reactions of the organism during maximum psychological and physical strain which are observed at

Card 3/4

ACC NR: AT6036592

various stages of the flight.

The most important condition for expanding the capabilities of humans for activity under conditions of prolonged spaceflight is a properly organized schedule of motor and psychological activity in coordination with the use of food, pharmacological agents, and other factors both during preflight training and during the entire duration of spaceflight and the postflight period of rest. [W.A. No. 22; ATD Report 66-116]

SUB CODE: 06,22 / SUBM DATE: 00May66

Card 4/4

ACC NR: AP7002610 (A,N) SOURCE CODE: UR/0413/66/000/023/0117/0117

INVENTOR: Korobkov, A.V.; Gol'dberg, I.M

ORG: none

TITLE: Method of thermochemical treatment of molybdenum and molybdenum-alloy articles. Class 48, No. 189277

SOURCE: Izobreteniya, promyshlennyye obratzы, tovarnyye znaki, no. 23, 1966, 117

TOPIC TAGS: molybdenum thermochemical treatment, molybdenum alloy thermochemical treatment, ~~metal thermochemical treatment, molybdenum, molybdenum alloy, thermochemistry~~

ABSTRACT: This Author Certificate introduces a method for thermochemical treatment of molybdenum and molybdenum-alloy articles which includes paste carburizing. To increase hardness and oxidation resistance, the articles are subjected to carbosiliconizing, coated with carbonizing paste, packed in ground annealed silicon, and held at 1100—1300C for 5—20 hr. In a variant, the ground silicon is annealed at 1150C for 8—10 hr. [WA-88] [DV]

SUB CODE: 13, 11/ SUBM DATE: 26Oct64/ ATD PRESS: 5114

Card 1/1

UDC: 621.793.6:669.28

ACC NR: AT7004524

SOURCE CODE: UR/2563/66/000/268/0078/0088

AUTHOR: Korobkov, A. V.; Lapkin, D. T.; Sitnikova, L. I.; Khoroshaylov, V. G.

ORG: Leningrad Polytechnical Institute (Leningradskiy politekhnicheskiy institut)

TITLE: Concerning the improved properties of dispersion hardening heat-resistant alloys and steels

SOURCE: Leningrad. Politekhnicheskiy institut. Trudy, no. 268, 1966. Metallovedeniye (Metal science), 78-88

TOPIC TAGS: heat resistant alloy, heat resistant steel, metal heat treatment, high temperature strength, ~~aging process~~, dispersion hardening, *metal aging*

ABSTRACT: The effects of heat treatment on the mechanical properties of the heat-resistant alloys EI437BU and EI617, as well as the steel EI787, were studied. Samples of EI437BU and EI787 were cut from billets, and forgings of turbine discs and buckets. The alloy EI437BU was given two types of heat treatments: (1) air quenching after 8 hrs at 1080°C + aging for 16 hrs at 750°C and air cooling, (2) just aging for 16 hrs at 750°C. Tensile and impact testing were done at room temperature, 500, 600, and 700°C. Creep testing was done at 600, 700, and 750°C. Treatment #2 raised the strength, ductility, and impact resistance above that for #1 by as much as 10%. The creep resistance of #1 at 600°C and 70 kg/mm² was higher than for #2, but at 700 and

Card 1/2

ACC NR: AT7004524

750°C the creep resistances were similar. Annealed and cold worked (30 and 65% deformation) rods of EI617 were also given two heat treatments: (1) air quenching after 2 hrs at 1190°C + air quenching after 4 hrs at 1050°C + aging at 800°C for 16 hrs and air cooling, (2) just aging at 800°C for 16 hrs and air cooling. Room temperature tensile data and stress rupture data at 550 and 600°C were given. Again higher strength, ductility, and creep resistance resulted from #2. Similar conclusions were obtained for EI787 steel. Macrostructures of the three materials showed that after #1 a nonuniform grain distribution resulted, while #2 gave a fine-grained homogeneous structure. The dislocation arrangements occurring after the different heat treatments were discussed. Higher strengths resulted because of greater dislocation density. The plasticity was correlated with dislocation mobility. Orig. art. has: 6 tables, 2 figures.

SUB CODE: 11/ SUBM DATE: none/ ORIG REF: 003

Card 2/2

ACC NR: AT7004525

SOURCE CODE: UR/2563/66/000/268/0089/0096

AUTHOR: Korobkov, A. V.; Lapkin, D. T.; Sitnikova, L. I.; Khoroshaylov, V. G.

ORG: Leningrad Polytechnical Institute (Leningradskiy politekhnicheskiy institut)

TITLE: The effect of holding time at high temperatures on the properties of economical grades of heat-resistant steel

SOURCE: Leningrad. Politekhnicheskiy institut. Trudy, no. 268, 1966. Metallovedeniye (Metal science), 89-96

TOPIC TAGS: austenitic steel, stainless steel, boron steel, heat resistant steel, heat treatment, ~~aging process~~, high temperature steel, impact strength, metallographic examination, *metal aging*

ABSTRACT: A study was done on the effects of aging EI696 and EI696A austenitic steels up to 500 hrs at 600 and 650°C. Also studied were the effects of reheating to 700 and 750°C after the first aging treatment, and the influence of boron additions. Four heats of steel were made having the following compositions: 0.06-0.08% C, 0.32-0.85% Mn, 0.31-0.82% Si, 11.24-11.77% Cr, 18.25-20.1% Ni, 2.66-3.08% Ti, 0.26-0.50% Al, nil-0.015% B, 0.005-0.012% S, and 0.016-0.06% P. Rod samples were heated to 1170°C, held for 2 hrs, air cooled, reheated to 750°C for 16 hrs, and air cooled. Aging was done by heating to 600 or 650°C for 16, 100, 200, and 500 hrs. Some samples were aged again

Card 1/2

L 10632-63

EWP(q)/EWT(m)/BDS--AFFTC/ASD--JD

S/0286/63/000/002/0061/0061

ACCESSION NR: AP3000864

AUTHOR: Khoroshaylov, V. G.; Terekhov, K. I.; Korobkov, A. V.; Khimushin, F. F.

TITLE: Cast heat-resistant alloy. Class 18, No. 102664

SOURCE: Byul. izobreteniy i tovarnykh znakov, no. 2, 1963, 61

TOPIC TAGS: cast heat-resistant alloy, heat-resistant alloy

ABSTRACT: The patent introduces an iron-base heat-resistant cast alloy containing 0.26 to 0.38% C, 0.7% Si, 7 to 9% Mn, 11 to 13% Cr, 9 to 11% Ni, 1.2 to 1.7% V, 1.5 to 3% W, 0.15 to 0.25% Ti, and 0.003 to 0.008% Al.

ASSOCIATION: none

SUBMITTED: 25Dec54

DATE ACQ: 28May63

ENCL: 00

SUB CODE: ML

NO REF SOV: 000

OTHER: 000

ch/ls
Card 1/1

KOROBKOV, A.V.

VOLOGDIN, VI.V.; KOROBKOV, A.V., kand.tekhn.nauk, retsenzent; FOGEL', A.A.,
kand.tekhn.nauk, red.; SOKOLOVA, L.V., tekhn.red.

[High-frequency soldering] Vysokochastotnaia paika. Pod red.
A.A.Fogelia. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.
i sudostroit. lit-ry, 1954. 49 p. (Bibliotekha vysokochastotnika-
termista, no.13) (MIRA 11:7)
(Solder and soldering)

KOROBKOV, Anatoliy Vital'yevich, doktor med. nauk, prof.; SHKURDODA,
Vladimir Antonovich, kand. pedagog. nauk starshiy nauchnyy sotrudnik;
YAKOVLEV, Nikolay Nikolayevich, doktor biolog. nauk, prof.;
YAKOVLEVA, Yelena Sergeyevna, kand. biolog. nauk, starshiy nauchnyy
sotrudnik; KHOTYANOVA, G.B., red.; MANINA, M.P., tekhn. red.

[Physical education for persons of various ages; biological
fundamentals] Fizicheskaya kul'tura liudei raznogo vozrasta;
biologicheskie osnovy. Pod red. A.V.Korobkova. Moskva, Izd-vo
"Kul'tura i sport," 1962. 370 p. (MIRA 16:6)
(PHYSICAL EDUCATION AND TRAINING)

KOROBKOV, A.Ye.; VASIL'YEVA, A.B.; STOYANOV, G.I.

Mobile device for cleaning petroleum tanks from bottom settlements.
Transp. i khran. nefi i nefteprod. no.7:25-27 '65. (MIRA 18:9)

1. Nauchno-issledovatel'skiy institut po transportu i khraneniyu
nefti i nefteproduktov.

ABRAMZON, L.S.; STOYANOV, G.I.; KOROBKOV, A.Ye.

Cleaning the deposits in tanks with a water spray. Neft.khoz.
41 no.10:54-58 0 '63. (MIRA 17:4)

KOROBKOV, B.M.

ANTONOV, A.S.; ARTAMONOV, B.A.; KOROBKOV, B.M.; MAGIDOVICH, Ye.I.;
POCHTAREV, N.P., inzhener-polkovnik, redaktor; KUZ'MIN, I.F.,
tekhnicheskii redaktor.

[The tank.] Tank. Moskva, Voennoe izd-vo Ministerstva oborony
SSSR, 1954. 607 p. (MLRA 86)
(Tanks (Military science))

KOROBKOV, F.S., kandidat tekhnicheskikh nauk

Burning bleaching clays in coal mixtures. Tekh.zhel.dor.6 no.9:
27-28 S'47. (MIRA 8:12)
(Locomotives--Fuel consumption)

KOROBKOV, F.S., kand. tekhn. nauk

Make better use of lubricating oil in diesel-switching locomotives.
Elek. i tepl. tiaga 3 no.3:22 Mr '59. (MIRA 12:5)
(Diesel engines--Lubrication)

KOROBKOV, Georgiy Grigor'yevich

Of the Question of the Mechanism of Changes in the Coagulation of Blood
in Connection with Hemo-transfusional Shock

Dissertation for candidate of a Medical Science degree. Chair of Pathological
Physiology (head, Asst. Prof. P. Ya. Novorasova) Saratov Medical Institute,
1954

KOROBKOV, G.A. (Ordzhonikidze)

Work of the North Ossetian Pharmacy Administration in providing
service for the people. Apt.delo 7 no.1:29-31 Ja-F '58.
(OSSETIA--PHARMACY) (MIRA 11:3)

KOROBKOV, G.G.

Influence of oxygen deficiency on the origin and development of
an experimental tumor. Trudy Sar. gos. med. inst. 26:69-71 '59.
(MIRA 14:2)

1. Saratovskiy meditsinskiy institut, kafedra patologicheskoy
fiziologii (zav. - dotsent P.Ya. Novorasoza).
(ANOXEMIA) (CANCER)

NOVORASOVA, P.Ya.; FEYGEL'SON, A.S.; KOROBKOV, G.G.; GOR'KOVA, A.V.

Influence of cortisone on the growth of experimental tumors.
Trudy Sar. gos. med. inst. 26:72-75 '59. (MIRA 14:2)

1. Saratovskiy meditsinskiy institut, kafedra patologicheskoy
fiziologii (zav.-sotsent P.Ya. Novorasoza).
(CORTISONE) (TUMORS)